MOZILLA

EXQUISITE SURFACES

mozillagranito.com

INTENSE
HIGH GLOSS

800X
1600MM

MOZILLA

EXQUISITE SURFACES



WE ARE TREND SETTER


Indulge in a symphony of captivating designs and flawless finishes with our 800x1600 mm tile collection. Each piece is a masterpiece, meticulously crafted to perfection, infusing your space with elegance and charm. Immerse yourself inluxury, where every detail speaks of sophistication and magnificence.



MARBLE TOUCH

next level slab

Our collection truly resembles the charm and beauty of marble with its remarkable detailing and magnificent finish. Also, the sheer 800*1600 mm size surface adds a royal effect in any space. With a range of majestic finishes and glamorous shades, we are the top choice for any ambiance.



mozillagranito.com

INFUSING YOUR SPACE

Features

Our Surfaces have exciting features that make them a fusion of durability and beauty along with ease of maintenance.

- Resistance to Stains
- Waterproof
- Easy to Clean
- Frost Resistance
- Resistance to Scratches
- Resistance to high Temp.









टाइल्स जो
BEAUTIFUL
लगे सालोसाल

800x 1600mm


Introducing our stunning 800x1600 mm tile collection: Elevate spaces with grandeur, sophistication, and seamless elegance. Experience luxury redefined with every step.

Product Area

- Residencial
- Malls
- Office
- Public Spaces

INTENSE HIGH GLOSS SERIES


Indulge in a symphony of captivating designs and flawless finishes with our 800x1600 mm tile collection. Each piece is a masterpiece, meticulously crafted to perfection.



800X1600MM

www.mozillagranito.com












RANDOM **4FACES**

ARMA BLACK

FINISH:INTENSE HIGHGLOSS

SIZE **800X1600mm**
THICKNESS **9mm**





RANDOM **4FACES**

BLACK ROSE

FINISH:INTENSE HIGHGLOSS

SIZE **800X1600mm**
THICKNESS **9mm**





RANDOM **4FACES**

CALACUTTA BLACK

FINISH:INTENSE HIGHGLOSS

SIZE **800X1600mm**
THICKNESS **9mm**










RANDOM **3FACES**

PEAR ONYX

FINISH:INTENSE HIGHGLOSS

SIZE **800X1600mm**
THICKNESS **9mm**






RANDOM **4FACES**

REGIA OCEAN

FINISH:INTENSE HIGHGLOSS

SIZE **800X1600mm**
THICKNESS **9mm**





RANDOM **4FACES**

VOLGA BLUE

FINISH:INTENSE HIGHGLOSS

SIZE **800X1600mm**
THICKNESS **9mm**

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER IS0-13006/EN14411 GROUP Bla	VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water absorption	< 0.50 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm2	Min. 40 N/mm2	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10^{-6}	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	SO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N. A.
Lead & Cadmium given off	As per mfg	Does not yield	ISO-10545-15
by glazed tiles		Pb & Cd	

MOZILLA

EXQUISITE SURFACES

PACKING DETAILS

Size	Tiles / Box	Coverage Area / Box (approx.)	Coverage Area / Box (approx.)
80X160CM	2 pcs	2.56 Sq. m.	27.55 Sq. ft.

Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

MOZILLA

EXQUISITE SURFACES

MOZILLA GRANITO LLP.

Regd. Off. Sr no. 144/1/P/9, 8-A, National Highway,
Opp. Dariyalal Hotel, Post. Rafaleshwar,
Tal. & Dist. Morbi - 363 642, (Guj.), INDIA.

Call. +91 98252 22858
+91 99783 99887

Mail. info@mozillagranito.com

mozillagranito.com

sfumato india pvt. ltd.